

TORO

GRINDSMASTER® 3200/3300



OUT-FRONT PERFORMANCE.

INFOCENTER CONTROL PANEL
At the operator's fingertips for ultimate control.

TORO® LEGENDARY TORO CUTTING DECKS
Easy to maintain, built to tackle any terrain, excellent after-cut appearance and clipping dispersal. Choose from three deck options below.



- 152 cm (60") and 183 cm (72") cutting widths
- Rear Discharge
- Welded deck bumpers
- Cast aluminum spindle housing
- 2.5 cm (1") spindle shaft
- Sealed ball bearings





- 152 cm (60") and 183 cm (72") cutting widths
- Rear and Side Discharge options
- Replaceable deck bumpers
- Cast iron spindle housing and anti-scalp cap
- 3.18 cm (1.25") spindle shaft
- Tapered roller bearings, greaseable



- Fine Cut Flail Deck
- 152 cm (60") cutting width
 - Paddle or Back-to-Back/Y-Blade Options

TACKLE ANY TERRAIN
Bullnose bumper, rugged spindles, and 7-gauge high strength steel decks are built for any conditions.



SUPERIOR OPERATOR COMFORT

Adjustable seating, tilt steering, easy access controls provide optimal operator comfort. Standard, mechanical suspension, and air ride seat options available.



OPTIONAL ALL-SEASON CAB

Add year-round versatility. Move snow, clear debris, spread salt... all from the comfort of the optional cab.



EASILY MOVE BETWEEN JOB SITES

With a 19,8 cm (7.8") ground clearance, easily climb curbs and get to job sites other mowers can't access.



YANMAR 3-CYLINDER DIESEL ENGINES

Maximize power complying with the latest STAGE V and Tier 4 emission regulations.

CROSSTRAX®

Increase cross wheel traction control for better climbing performance.



UNMATCHED ACCESS

Innovative flip-up design makes maintenance and cleaning simple. Rotary decks tilt almost 90° while keeping the driveline intact.



GROUNDMASTER 3200/3300 FEATURES

DURABILITY

- Powerful 18,4 kW (24.7 HP) or 27,5 kW (37 HP) Yanmar® diesel engines. Both are STAGE V and Tier 4 compliant
- Rugged 7 gauge high strength steel welded rotary decks. Available in 152 cm and 183 cm width of cut.

PERFORMANCE

- Power through challenging conditions in fall and winter with increased traction from the CrossTrax® all-wheel drive system, which optimizes power distribution to each wheel individually
- Climb curbs and easily move between job sites with a ground clearance of 19,8 cm (7.8")



PRODUCTIVITY

- Innovative tilt-up deck for easy cleaning and maintenance
- 21 km/h (24 mph) transport speed
- Cut from 25 mm – 152 mm (1"-6") with a simple pin adjustment
- Comfortable operator platform and fingertip controls
- Easy access maintenance points

VERSATILITY

- Side and rear discharge Recycler® cutting deck options
- 152 cm (60") Flail F60 deck option
- Year-round versatility with a variety of multi-season attachments
- Move snow, clear debris, spread salt... all from the comfort of the optional cab.

MULTI-SEASON ATTACHMENTS

- 152 cm (60") Flail F60 cutting deck
- Broom
- BOSS® snow blade
- Pro Force® debris blower
- Snow blower
- BOSS Exact Path™ salt spreader
- Road Light Kit
- Winter cab (heated)
- All-season cab, factory-installed

INNOVATION BY DESIGN

FROM START ■ TO ■ FINISH™



FROM DIGGING



TO PLANTING



FROM GROWING



TO CUTTING



FROM MOWING



TO CLEARING



TORO HAS WHAT I NEED



FROM START TO FINISH

From hardscape to landscape to mowing, Toro® has you covered with a full range of solutions for the jobs you need to do.

Our entire line is designed with input from grounds professionals — and our work is never finished. Our agronomists and engineers continually work on new solutions to increase productivity, reduce fuel consumption and improve growing conditions. The result is a line of products that offers ease of use for operators at every skill level, durability to handle tough conditions, and reliability to minimize downtime and keep your operators productive. Plus, it's all backed by service and support from local Toro distributors who are dedicated to helping customers succeed.

Explore the full line of Toro products for grounds professionals at toro.com and contact your local Toro distributor to learn more.



toro.com

Worldwide Headquarters
The Toro Company.
8111 Lyndale Ave. So., Bloomington, MN 55420 U.S.A.
Phone: (1) 952 888 8801
19-247-GB ©2019 The Toro Company. All Rights Reserved.



facebook.com/ToroCompany
twitter.com/TheToroCompany
youtube.com/ToroCompanyEurope